



March 2018

PRODUCT DATA SHEET

Product	Wudfil Original Wood Repair Filler
Type	A two part wood filler. Provides a strong long lasting repair for all interior and exterior wood work. Available in Mahogany, Pine, Teak, Oak, Cream and White colour.
Intended Use	For all types of interior and exterior timber.
Special Features	The filler hardens within 10 mins at ambient temperature. It can be sanded, drilled, machined and planed and is particularly useful for carrying out repairs to edges on joinery where high strength is needed..
Preparation	The surface must be clean, dry and free from all traces of oil, grease and dust. To provide good adhesion to timber, key the surface by lightly sanding with a medium grade of sand paper.
Application	Mix the filler with the hardener on a non-porous surface using an amount of filler the size of a golf ball to a pea-sized ball of hardener as the mixing ratio. Mix until an even colour is obtained. Do not prepare more than is required as any excess will be unusable within 10 mins. Using a putty knife or similar apply sufficient filler so that it is proud of the surface to allow a continuous smooth surface to be obtained by sanding.
Coats	Single application should be sufficient.
Drying Time	Approx. 10 minutes depending on temperature and humidity.
Re-coating Time	Once fully cured and after sanding back, most paints can be applied
Application Temp.	Ideally 15-25°C, but do not use below 10°C.
Coverage	N/A
Maintenance	N/A
Compatibility	Compatible under most finishes. For best results sand before staining and finishing.
Settlement	N/A
Shelf-life/Storage	12 months if stored in cool and dry place below 25 deg C in original, sealed packaging...
Hazards	Harmful by inhalation. Contains Styrene. Do not breathe vapours. Wear suitable protective gloves and eye/face protection. A full Health and Safety Data Sheet is available on request or on www.rustins.co.uk
Clean-Up	All tools must be cleaned immediately after use with Rustins Cellulose Thinners before product sets hard
Sizes	