



SAFETY DATA SHEET
OVEN MATE - DAILY OVEN CLEANER CLP

Page: 1
Compilation date: 11/09/2014
Revision date: 17/02/2017
Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: OVEN MATE - DAILY OVEN CLEANER CLP

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: RUSTINS LTD
WATERLOO ROAD
LONDON
NW2 7TX
UNITED KINGDOM

Tel: +44 (0)20 8450 4666

Fax: +44 (0)20 8452 2008

Email: rustins@rustins.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)20 8450 4666 (OFFICE HOURS 8am - 4pm)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET

OVEN MATE - DAILY OVEN CLEANER CLP

Page: 2

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314: Get medical attention if you feel unwell.

P264: Wash hands thoroughly after handling.

P101: If medical advice is needed, have product container or label at hand.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

RM ALKYL POLYGLUCOSIDE CPL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68575-73-1	-	Eye Dam. 1: H318	1-10%

RM TRISODIUM SALT OF NITRILACETIC ACID 38% CLP

225 768 6	5064-31-3	-	Acute Tox. 4: H302; Eye Irrit. 2: H319; Carc. 2: H351; Skin Irrit. 2: H315	1-10%
-----------	-----------	---	---	-------

RM BH30 AMPHOTERIC SURFACTANT CLP

239-037-7	14960-06-6	-	Eye Irrit. 2: H319	1-10%
-----------	------------	---	--------------------	-------

RM BUTYL GLYCOL CLP - REACH registered number(s): 01-2119475108-36

203-905-0	111-76-2	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H312; Acute Tox. 4: H332	1-10%
-----------	----------	---	---	-------

RM ALCOHOL ETHOXYLATE 9 CLP

-	68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
---	------------	---	--------------------------------------	-------

RM SODIUM HYDROXIDE SOLID/PEARL CLP - REACH registered number(s): 01-2119457892-27

215-185-5	1310-73-2	-	Met. Corr. 1: H290; Skin Corr. 1A: H314; Eye Dam. 1: H318	1-10%
-----------	-----------	---	--	-------

RM C12-C14 CLP

-	-	-	Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 2: H411	<1%
---	---	---	---	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes in contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Obtain medical attention if irritation persists

[cont...]

SAFETY DATA SHEET

OVEN MATE - DAILY OVEN CLEANER CLP

Page: 3

Eye contact: Bathe the eye with running water for 15 minutes. Remove any contact lenses and open eyes wide apart. Seek medical advice if irritation persists

Ingestion: Wash out mouth with water. Do not induce vomiting. If patient feels unwell seek medical attention

Inhalation: Not likely due to the nature of the product If irritation is experienced, mouth and throat may be rinsed with water. Get medical advice if irritation continues.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into rain water drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

[cont...]

SAFETY DATA SHEET

OVEN MATE - DAILY OVEN CLEANER CLP

Page: 4

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Original packaging

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

RM BUTYL GLYCOL CLP

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	25ppm	50ppm	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Non required in well ventilated areas.

Hand protection: Protective gloves.

Eye protection: Safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Solubility in water: Miscible in all proportions

Viscosity: Non-viscous

Flash point°C: Not applicable.

[cont...]

SAFETY DATA SHEET

OVEN MATE - DAILY OVEN CLEANER CLP

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

RM ALKYL POLYGLUCOSIDE CLP

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

RM BH30 AMPHOTERIC SURFACTANT CLP

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

RM ALCOHOL ETHOXYLATE 9 CLP

DERMAL	-	LD50	>2000-<=5000	mg/kg
ORAL	-	LD50	>300-<=2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
--------	-------	-------

[cont...]

SAFETY DATA SHEET

OVEN MATE - DAILY OVEN CLEANER CLP

Page: 6

Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

RM ALKYL POLYGLUCOSIDE CPL

DAPHNIA	48H EC50	>100	mg/kg
---------	----------	------	-------

RM BH30 AMPHOTERIC SURFACTANT CLP

RAINBOW TROUT (Oncorhynchus mykiss)	48H EC50	10.7	mg/l
-------------------------------------	----------	------	------

RM BUTYL GLYCOL CLP

Daphnia magna	48H EC50	1550	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1474	mg/l
Scenedesmus Subspicatus	72H ErC50	1840	mg/l

RM SODIUM HYDROXIDE SOLID/PEARL CLP

FISH	96H LC50	33-189	mg/l
------	----------	--------	------

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

[cont...]

SAFETY DATA SHEET

OVEN MATE - DAILY OVEN CLEANER CLP

Page: 7

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Rinse out empty containers at least twice with water and recycle if facilities exist or dispose of as commercial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H290: May be corrosive to metals.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

[cont...]

SAFETY DATA SHEET

OVEN MATE - DAILY OVEN CLEANER CLP

Page: 8

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.