

## SHAKE WELL BEFORE USE

Woodworm Killer (microemulsion ready-for-use). For preventative treatment against wood boring beetles and termites. Also for curative treatment against wood boring beetles. Authorisation is granted for Use class 1 in which the wood-based product is



### WARNING

#### HEALTH & SAFETY

Causes serious eye irritation. Very toxic to aquatic life with long lasting effects. Contains Permethrin & 1,2-Benzisothiazol-2(3H)-one. May produce an allergic reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Wash hands thoroughly after handling. Avoid release into the environment. Wear protective gloves, protective

under cover and not exposed to weather and wetting. Effective against a wide range of wood boring insects including all life stages of wood boring insects (i.e woodworm). It has virtually no odour and can be applied either by brush or low pressure spray to provide lasting protection. The formula is water-based.

clothing and protective eye/face protection. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice/attention. Collect Spillage. Dispose of contents as hazardous waste in accordance with local/ regional/national/ international regulations Contains: Permethrin [52645-53-1 ], 1,2- Benzisothiazol-2(3H)-one [2634-33-5 ], Alcohols (C9-11), Ethoxylated [68439-46-3].


Please refer to Product Data Sheet for full information at [www.rustins.co.uk](http://www.rustins.co.uk)

BPR Authorisation Number:  
UK-2019-1171-1-0015  
IE/BPA 70492-01-007  
Contains : Permethrin 2.5g/L

# Rustins

## WOODWORM KILLER

For information on Rustins' products visit our website at [www.rustins.co.uk](http://www.rustins.co.uk) or contact us at Rustins Ltd, Waterloo Road, London, NW2 7TX United Kingdom [rustins@rustins.co.uk](mailto:rustins@rustins.co.uk) Telephone: +44 (0)20 8450 4666



500ml e

- ★ Treats and eradicates
- ★ Prevents reinfestation
- ★ Deep penetration
- ★ Long lasting protection
- ★ Low odour
- ★ Re-coat whilst wet
- ★ For interior use



**Application:**

Apply by Brush or low pressure spray.

**For a preventative use** - Apply at a rate of 200 ml/m<sup>2</sup>. (1L per 5 m<sup>2</sup>)

**For curative use** - Apply at a rate of 300 ml/m<sup>2</sup>. (1L per 3.3 m<sup>2</sup>)

Product should only require applying once every 5 years, if necessary, to timbers.

**Application Professional Only:**

Curative injection applications of the diluted product should be applied at a rate of 150 kg/m<sup>3</sup> followed by a superficial treatment of 300 ml/m<sup>2</sup>. This sequence application method should not be normal practice for curative applications, but only applied when required.

**Use Specific Instructions & Risk Mitigation Measures :**

FOR USE ONLY AS A Woodworm Killer. FOR PROFESSIONAL AND NON-PROFESSIONAL USE. FOR INDOOR USE ONLY.

Do not touch or walk through spilt material. When dealing with spillage do not eat, drink or smoke. Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions.

During application of the ready to use user should take care to avoid splashes on to clothing and skin. Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry.

Always read the label or leaflet before use and follow all of the instructions.

Do not use on wood which may come into contact with food, feeding stuffs and livestock animals.

Do not contaminate foodstuff, eating utensils or food contact surfaces.

Avoid prolonged contact of pets, particularly cats, to treated surfaces.

All bats are protected under the wildlife and countryside act of 1981. before treating any structure used by bats consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

Inform the registration holder if treatment is ineffective.

**Storage :**

Store in a cool, well-ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquid. Must only be kept in original packaging. A shelf life of 24 months is supported. Protect from frost.

**Disposal :**

Empty container should be disposed of a normal household waste.

Do not discharge the biocidal product into the sewage system or environment.

Any waste should be disposed of safely in line with national waste management.

**Contents :**

**Additional information for professional users:**  
The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) applies to the use of this product at work.

Wear suitable protective chemical resistant gloves (rubber or nitrile) and eye/face protection during product handling phase.

Wear suitable protective chemical resistant gloves (rubber or nitrile) when applying as a spray or injection treatment.

A protective overall (at least type 6, EN 13034) must

be worn when spraying.

Waist product or contaminated packaging should be disposed via a licensed waste disposal contractor.

Empty container should be disposed of a normal industrial waste.

**Additional information for use in Republic of Ireland:**

Use Biocides Safely and Sustainably. It is illegal to use this product for uses or in a manner other than that prescribed on the label. Poison Information : For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166), retain label for reference.

**First Aid:**

If medical advice is needed, have product container or label at hand.

If in eyes: rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists : Get medical advice/attention. If on skin: wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Pyrethroids and Pyrethrins may cause paraesthesia (burning and pricking of the skin without irritation).

If symptoms persist get medical advice.

UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.

---

For information on Rustins' products visit our website at [www.rustins.co.uk](http://www.rustins.co.uk) or contact us at Rustins Ltd, Waterloo Road, London, NW2 7TX United Kingdom [rustins@rustins.co.uk](mailto:rustins@rustins.co.uk)  
Telephone: +44 (0)20 8450 4666