

DECORATORS VARNISH



A dead flat matt varnish for use on emulsion paint, wallpaper, plaster and wood.

Protects the area from finger smudges, scuffing and staining.



DECORATORS VARNISH - DEAD FLAT MATT SHAKE WELL BEFORE USE

A low solids water-based acrylic protective coating with high UV resistance for use on emulsion paint, wallpaper, plasterwork and other surfaces to protect against finger marks, stains, scuffing and colour fading. Water, stain and abrasion resistant. Fast drying. Suitable for interior and exterior use.

Preparation: The surface must be clean and free from dust, dirt, oil and contamination.

Application: Apply thin coats using a synthetic varnish brush. Dilute first coat with 10% water if to be used over porous surfaces. Ideally apply between $15 - 25^{\circ}C$. Avoid damp/high humidity conditions. Do not apply to hot surfaces or in strong sunlight if possible or if rain is likely. Three coats are recommended for high durability. Always test for compatibility before covering whole area.

Re-coating Time: Further coats can be applied once the previous coat is dry. This will be approximately 1 hour depending on the temperature and humidity at the time of application.

Coverage: 1 litre will cover approximately 15-20 sq.m in 1 coat depending on the absorbency of the surface.

Cleaning: Remove as much product as possible and return to this container. Brushes should then be cleaned immediately with water. If the brushes become hard, they may be cleaned with Rustins Brush Restorer or Rustins Cellulose Thinners.

Disposal (pollution prevention):

Some local authorities have special facilities

for disposal of waste paints/varnishes /coatings. Do not empty product into drains or watercourses.

Storage: Store in a cool dry place with the lid tightly closed. Protect from frost.

Health & Safety: Non-hazardous. Ensure good ventilation. Keep out of reach of children. Contact with eyes-wash immediately with warm water. Remove excess from tools and mixing vessels before washing in warm soapy water.

For information on Rustins' products visit our website at www.rustins.co.uk or contact us at Rustins Ltd, Waterloo Road, London, NW2 7TX United Kinqdom rustins@rustins.co.uk

Telephone: +44 (0)20 8450 4666 ROI: Excellence Ltd, 43 Grange Parade, Dublin D13 Y860 Ireland. Tel: +353 1 - 832 3300



ŝ





DECORATORS VARNISH



A satin varnish for use on emulsion paint, wallpaper, plaster and wood.

Protects the area from finger smudges, scuffing and staining.



DECORATORS VARNISH - SATIN

SHAKE WELL BEFORE USE

A low solids water-based acrylic protective coating with high UV resistance for use on emulsion paint, wallpaper, plasterwork and other surfaces to protect against finger marks, stains, scuffing and colour fading. Water, stain and abrasion resistant. Fast drying. Suitable for interior and exterior use.

Preparation: The surface must be clean and free from dust, dirt, oil and contamination.

Application: Apply thin coats using a synthetic varnish brush. Dilute first coat with 10% water if to be used over porous surfaces. Ideally apply between $15 - 25^{\circ}C$. Avoid damp/high humidity conditions. Do not apply to hot surfaces or in strong sunlight if possible or if rain is likely. Three coats are recommended for high durability. Always test for compatibility before covering whole area.

Re-coating Time: Further coats can be applied once the previous coat is dry. This will be approximately 1 hour depending on the temperature and humidity at the time of application.

Coverage: 1 litre will cover approximately 15-20 sq.m in 1 coat depending on the absorbency of the surface.

Cleaning: Remove as much product as possible and return to this container. Brushes should then be cleaned immediately with water. If the brushes become hard, they may be cleaned with Rustins Brush Restorer or Rustins Cellulose Thinners.

Disposal (pollution prevention):

Some local authorities have special facilities

for disposal of waste paints/varnishes /coatings. Do not empty product into drains or watercourses.

Storage: Store in a cool dry place with the lid tightly closed. Protect from frost.

Health & Safety: Non-hazardous. Ensure good ventilation. Keep out of reach of children. Contact with eyes-wash immediately with warm water. Remove excess from tools and mixing vessels before washing in warm soapy water.

For information on Rustins' products visit our website at www.rustins.co.uk or contact us at Rustins Ltd, Waterloo Road, London, NW2 7TX United Kinqdom rustins@rustins.co.uk

Telephone: +44 (0)20 8450 4666 ROI: Excellence Ltd, 43 Grange Parade, Dublin D13 Y860 Ireland. Tel: +353 1 - 832 3300



ŝ

