

Product Brochure

Rustins

Rustins formulate and manufacture the finest range of wood finishes and speciality paints from our factory in London. Owned by the Rustin family since its founding in 1924, we research and develop new products using new materials and new technologies whilst maintaining our heritage of superlative customer service and dedication to quality. In addition to our range of traditional solvent based products, we have a growing range of high performance waterbased coatings for wood and metal that are quick-drying and have low VOC's.

The Briwax range includes wax polish and sprays to restore, revive and keep all your wood furniture in pristine condition. Briwax original is ideal for woodcarvings and turned wood, for floors and skirting. It cleans and protects wood, metalwork and even melamine. Briwax is available in clear, which maintains the natural colour of the wood, and 14 wood shades to stain and wax in one operation.

Wudcare

Wudcare products include a range of adhesives with excellent binding properties as well as Wudfil wood fillers in a range of colours that are easily sanded and stained.

Brummer

Brummer has the leading range of wood fillers available today, a name synonymous with craftsmanship and quality. Manufactured using the best quality raw materials, our products have been tried and tested for over 80 years by wood craftsmen and leading furniture and joinery manufacturers.

Heldite

Established in 1922, Heldite Jointing Compound was formulated for the aircraft industry and through its success in this application, the use of Heldite spread to all industries where there was a requirement for a high-performance jointing compound and sealant.

In the early 1960s Bondaglass was a leading brand of polyester fillers for vehicle repair and polyester resins for laminating with glass fibre. Bondaglass also introduced Bonda Rust Primer, an anti-corrosion primer. This became a leading anti-rust product and is still highly respected by the car restorer.

Hotspot

Developed in the 1970s, Hotspot is the UK's leading brand of stove and fireplace maintenance products offering solutions to ensure that they remain in tip-top condition. The range covers cleaners and sealers along with replacement ropes plus paints and polishes for finishing.

The undisputed No. 1 steel wool in the UK and Ireland where it has been used for almost 50 years. Our loval customers highly value this versatile and premium quality product which guarantees perfect results everytime.

For technical advice please email: tech@rustins.co.uk or call +44 (0)20 8450 4666





Rustins Ltd, Waterloo Road, London NW2 7TX United Kingdom

rustins@rustins.co.uk Telephone: +44 (0)20 8450 4666

Find us on social media Find us on social media



Rustins

Indoor Wood Finishes	
Button Polish	7
Chopping Board Oil	5
Danish Oil	4 5
Door Oil	5
French Polish	7
Plastic Coating	5
Polyurethane Clear Varnish	6
Polyurethane Coloured Varnish	6
Quick Dry Clear Varnish	6
Quick Dry Coloured Varnish	6
Shellac Sanding Sealer	7
Tung Oil	4
Worktop Oil	4

ı	Outdoor wood Finishes	
	Advanced Wood Preserver Green	12
	Advanced Wood Preserver	9
	All Star Wood Treatment	10
	Composite Decking Cleaner	12
	Decking Cleaner	12
	Decking Oil	12
	Decking Stain & Seal	12
	Exterior Wood Oil	11
	Garden Paint	9
	Outdoor Clear Varnish	10
	Outdoor Woodstain	10
	Shed & Fence Clear	- 11
	Teak Oil	11
	Textured Decking Oil	12
	TimberLife	- 11
	Yacht Varnish	11

Cleaners

Caustic Soda
Drive & Patio Cleaner
Sticky-Off
Sugar Soap - Ready to use
Sugar Soap – Powder
Sugar Soap – Concentrate
UPVC Cleaner

Floor Finishes

Clear Plastic Floor Coating	18
Floor Oil	17
Floor Varnish	17

Purpose Floor Shine	1
ethane Floor Sealer	18
ciality Paints	
ar White Paint	2
nium Paint	2

22 24 23 20 21 21 22 23 24 22 24 21 25 23 20 25 25 21

Brick & Tile Paint
Brilliant White Gloss Paint
Chalky Finish Paint
Galvanized Metal Primer
Gold Paint
G Shield
Heat Resistant Black Paint
High Heat Paint
Masonry Paint
Matt Emulsion Paint
Matt Black Paint
MDF Sealer
MDF Primer

Anti Corrosion Metal Primer ASAP Paint Blackboard Black Paint

Primer & Undercoat Quick Dry Radiator Ename

Radiator Enamel Red Oxide Satin Black Paint Small Job Paint Small Job Primer & Undercoat Stabilising Solution Stain Blocker &

15	Textured Step &
15	Undercoat
15	White Primer
14	White Satin Pain
17	

Wood Preparat
Grain Filler

Grain Filler	28
Plastic Wood	28
Professional Wood Filler	27

Tile Paint

Quick Dry Wood Filler	28
Strypit Paint & Varnish Stripper	27
Styrene Free Pro Wood Filler	27
Wood Bleach	28
Wood Dye	28
Wood Hardener	28
Woodworm Killer	28

Application Accessories

The second second	
Application Kit	30
Latex Gloves	30
Lint Free Cloths	30
Poly Foam Brush	es 30
Prep Cloths	30

Decorating Products

Doodiumig . roundto	
Brush Cleaner	32
Brush Restorer	32
Cellulose Thinners	33
Knotting	33
Methylated Spirits	33
Paint Driers (Terebene)	34
Pure Turpentine	33
Linseed Oil	33
Sugar Soap	34
UPVC Cleaner	34
Wallpaper Remover	32
Xylene Thinners	34
	44177

Renovators	
Renovators - for wood	24
Finish Reviver	36
Liquid Wax	36
Ring Remover	37
Scratch Cover	37
Solid Wood Worktop	
Maintenance Kit	37
Surface Cleaner	36
Renovators - for metal	
Brass Restorer	38
Cellulose Thinners	38
Jade Oil	38
Metal Lacquer	38
Metal Shine	38
Rust Converter	38
Rust Remover	38

BRIWAX

Briwax

40
40
40
42

Hard Wax Oil	42
Liming Wax	41
Natural Creamed Beeswax	41
Natural Wood Wax	41

Pure Beeswax Filler Stick	40
hellac Sanding Sealer	42
Vax Filler Sticks	40
Vay Removing Solution	12

Wudcare

Fast Grab Adhesive	4
Floorboard Gap & Joint Filler	4
Heavy Duty Spray Adhesive	4
High Porformance Mood Clue	

Mitre Fix Kit	45
Professional Wipes	46
PVA Wood Adhesives	45
Super Glue - Trade Size	46

	A STATE OF THE PARTY OF THE PAR	
Wudfil Easy Stain	WUDCARE	4
Mudfil Facy Stain	Styrono Fron	- 1

Brummer

Charter Aluminium Wood Primer	
Exterior Wood Filler	1110

48

Interior Wood Filler	47
Peel Coat	48

Wood Filler Counter Display Unit

¤onda

Bonda

Fillers
Body Light Filler
Bonda Filler
Easy Sand Body Filler
FEW Filler
V11 Filler
Wood Fillers
Decor Fill
Decor Fill - Light & White
Decor Fill Styrene Free
Hardeners

Shutter Fill	51
Spreaders	50
Supersoft	51
Wood Fill	51
Wood Stop Grain Filler	51
Wood Stop Grain Filler. Stainable	51
Sealants - Surface Coatings	100
15 Year White Paint	53
Bonda Seal Clear	52
G4 Damp Seal	52
G4 Pond Sealer	52

64 Primer / Sealer	52
34 Thinners	52
Vood Hardener	53
Vood Seal	52
Inti-Rust & Corrosion	
Sonda Rust Primer	53
olyester Resins	
Sonda Resin	53
leaners	
Bilge Cleaner	53

Heldite

	1000
leldite Jointing Compound	
he Universal Sealant	

Hel	dite	H20	ЭK	
for	pota	ble	water	

Hotspot

Brick and Stone Sealer	58
Coal Paint	56
Fire Cement	56
Fireplace Cleaner	57
Flue Free Chimney Cleaner	57
Glass Cleaners	57

Grate Paint	56
Heatbond Stove Rope Fixative	59
Italian Marble Polish	58
Lagging Rope	59
Lint Free Cloths	59
Multi-Lise Metal Polish	58

Slate Oil	58
Stove and Fireplace Paint	56
Stove and Grate Polish	58
Stove Glass Cleaner Pads	5
Stove Ropes & Kits	59
Xylene Thinners	5

Trollull Steel Wool



Steel Wool
Plumbers Choice Pads

54

Stove Glass Cleaner Pads



Danish Oil







A unique formulation developed by Rustins that is suitable for all types of wood. It differs from Teak Oil in that it contains special ingredients to give it a low lustre finish. It is an easy to use wipe on finish, which brings out the beauty of the timber and gives a natural, open grained, soft lustrous finish. Ideal for all woods and is excellent on turned woodwork. Rustins Danish Oil conforms to The Articles in Contact with Food Regulations and to the Toys (Safety) Regulations 1995, BS:EN71 Part 3.


Sizes: 250ml, 500ml, 1L, 2.5L, 5L

Quick Dry Worktop Oil









Quick drying, water based wooden work surface treatment which nourishes and protects all types of timber. It is low odour, food safe, and leaves a durable, water-resistant, natural finish. Rustins Quick Dry Worktop Oil conforms to The Articles in Contact with Food Regulations.

Clean brushes with water.

Sizes: 500ml, 1L

Tung Oil





A pure natural non-toxic oil that is completely free from solvents. It has good penetration into all types of timber without leaving a film and its special properties make it highly resistant to water, alcohol and food stuffs. It is additive free and safe for use in contact with food. It forms a hard wearing finish making it suitable for kitchen work surfaces, chopping boards and interior wood work.

Sizes: 500ml, 1L

Quick Dry Chopping Board Oil









A blend of natural plant oils to nourish and protect chopping boards and worktops. It has a clear finish to enhance the natural beauty of wood.

Size: 250ml

Quick Dry Door Oil







A water based, non-flammable oil which has a low odour when applying. Milky white whilst liquid, it will dry to a hard transparent satin finish. Suitable for use on internal woodwork subject to a high degree of wear. The oil brings out the natural beauty of the wood and makes wood colours become richer/warmer. Rustins Quick Dry Door Oil is easy to apply and maintain, leaving a hard wearing, water and stain-resistant finish to woodwork.

Size: 750ml

Plastic Coating







Two-part clear cold cure lacquer for use on wood, hardboard, cork and plastic laminates. Extremely good adhesion, resistant to heat, solvents and abrasion. Can be burnished to a mirror like gloss or rubbed down to a smooth, satin finish with steel wool and wax. An excellent finish for marquetry as it does not darken light coloured veneers and does not yellow or craze on ageing. Hard-dry within 2 hours of application. Rustins Plastic Coating conforms to The Articles in Contact with Food Regulations.

Sizes: 250ml, IL, 4L,

Plus boxed starter pack (pictured)

How to...

DANISH OIL

Preparation: The surface must be clean, bare and sanded smooth. Oily woods (e.g. Teak, Iroko) should be cleaned thoroughly with white spirit to help penetration and improve adhesion. Bare wood may be dyed with Rustins Wood Dye. The dye may also be added to Danish Oil but the colour will be a lighter shade. If a natural opengrain is not required use Rustins Grainfiller before oiling.



Application: Using a clean soft cloth or brush apply liberally, then wipe off the excess after a few minutes. For a superior smooth finish the final coat may be applied using a plastic scouring pad, rubbing in the direction of the grain, wiping away the surplus with a soft cloth or paper towels. New or bare wood should be oiled 3 times initially.

Re-Coating Time: Allow 4 to 8 hours between applications depending on the temperature and humidity.

Maintenance: When applying to previously oiled wood, the surface should be cleaned and wax removed by using white spirit or Rustins Surface Cleaner. Wipe away the solution formed with clean paper towels prior to re-oiling. If the surface develops a slight gloss, this can be removed by rubbing with grade 00 or 000 steel wool and either wax polish or white spirit finishing off with a soft cloth.

Coverage: 1 litre will cover approximately 14 sq.m. with 1 coat depending on the absorbency of the wood.



Quick Dry Clear Varnish











Quick drying, water based clear hard wearing coating for all interior woodwork which has the least effect on the colour of

Low odour, non-toxic and touch dry in 20 minutes: re-coatable in 2 hours. Clean brushes in water.

Available in gloss, satin and matt finishes. Sizes: 250ml, 500ml, 1L, 2.5L, 5L

Quick Dry Coloured Varnish











Quick drying, water based coating for all interior woodwork. Available in seven attractive wood shades in satin finishes. Touch dry in 20 minutes and re-coatable in 2 hours. Suitable for all interior woodwork. Clean brushes in water.

Sizes: 250ml, 500ml, 1L

Polyurethane Clear Varnish







Clear Varnish in gloss, satin and matt finishes. A tough and durable finish for all woodwork and cork. Apply 2-3 coats for the perfect finish.

Re-coating time 2-8 hours. Can also be applied over Rustins Wood Dyes.

Sizes: 250ml, 500ml, 1L, 2.5L, 5L

Polyurethane Coloured Varnish







A tough and durable finish for all woodwork and cork in a range of seven attractive natural wood shades in gloss and satin finishes. Stains and varnishes in one operation.

Sizes: 250ml, 500ml, 1L















6

French Polish



Manufactured from pure shellac and alcohol with a special additive included to facilitate sanding when dry. It is also used to seal wood before waxing and to seal wood dyes to prevent bleeding.

Sizes: 125ml, 300ml, 500ml, 1L

Button Polish



Manufactured from pure shellac dissolved in industrial alcohol. More orange in appearance than French Polish.

Sizes: 125ml, 300ml, 500ml

Shellac Sanding Sealer



Manufactured from pure shellac and alcohol with a special additive included to facilitate sanding when dry. It is also used to seal wood before waxing and to seal wood dyes to prevent bleeding.

Sizes: 300ml, 500ml, 1L, 4L

How to...

FRENCH POLISH

The surface should be clean and smooth. If grain is open, fill with Rustins Grainfiller. Stain if necessary with Rustins Wood Dye.

Seal the wood with two coats of Rustins Shellac Sanding Sealer prior to French polishing.

Apply with a "Rubber" made by wrapping a piece of cotton wool in cotton or linen rag the size of a handkerchief.

Pour polish into rubber and squeeze out excess, dab a spot of French Polish on the rubber, and work in a circular or figure of eight motion.

French

Apply several coats, sandpaper lightly between coats if necessary. Finish using straight even strokes with polish thinned with methylated spirits.

Use in a warm, dry atmosphere.

Leave 24 hours after last coat to harden.

For sealing wood before waxing, apply 2 coats with a brush or rag.





Outdoor Wood Finishes

Advanced Wood Preserver







Rustins Advanced Wood Preserver is a water based, low odour, non-flammable product based on optimised formulation technology.

The ultra-fine particle size allows deep penetration of the preserver to take place so the performance of the product is much greater than standard wood preserver products. It is non-flammable, quick drying and can be applied to wet or dry timbers.

For use against wood rotting & staining fungi and surface growths within domestic, commercial, institutional and industrial premises on timber out of ground or surface water contact.

Size: 1L (Clear only), 5L



Medium Brown

Dark Brown

Green



Grey

Colours shown matched as near as printing processes will allow.







Quick Dry Garden Paint



A quick drying, water based paint that can be used on a wide variety of substrates such as wood, metal. brick, terracotta & stone.

Add a splash of colour to your sheds, fences, benches and pots giving them a new lease of life and protecting them from the weather.

No primer is needed even on metal. Containing wax, the paint has excellent water repellency and dries to a smooth satin finish giving long lasting protection.

Size: 750ml, 2.5L


















Colours shown matched as near as printing processes will allow.



Outdoor Wood Finishes











Quick drying, water based, durable, clear coating available in gloss, satin and matt. Gives long lasting protection to all external wood, and is touch dry in 30 minutes, re-coatable in 4 hours.

Clean brushes in water.

Sizes: 250ml, 500ml, 1L, 2.5L

Matt not available in 2.5L

Quick Dry Outdoor Woodstain









Quick drying, water based, durable, exterior stain available in satin.

Gives long lasting protection to all external wood, and is touch dry in 30 minutes, re-coatable in 4 hours.

Clean brushes in water.

Available in 7 attractive wood shades.

Sizes: 250ml, 500ml, 1L, 2.5L















Colours shown matched as near as printing processes will allow.

All Star Wood Treatment







A water based, low odour, non-flammable product based on optimised formulation technology. The ultra-fine particle size allows deep penetration of the treatment to take place so the performance of the product is much greater than standard wood treatment products. It is quick drying and can be applied to wet or dry timbers. For preventative treatment against wood boring beetles, termites and wood rotting fungi. Also for curative treatment against wood boring beetles.

For interior & exterior use.

Sizes: 1L, 5L

Outdoor Wood Finishes

Quick Dry Exterior Wood Oil











A unique quick drying, water based blend of natural plant oils and other special ingredients to nourish and protect all types of outdoor timber which dries with a low lustre finish.

It is a penetrating oil drying to a hard durable and water resistant seal that brings out the beauty of the grain within the timber. It enhances the warmth and depth to hard and soft woods, containing a high level of ultra violet light inhibitors to protect against sunlight. Rustins Exterior Wood Oil conforms to The Articles in Contact with Food Regulations.

Can be used for both interior & exterior application. Clean brushes with water.

Sizes: 500ml, 1L

Teak Oil



Based on special vegetable oils and resins to give a quick drying penetrating seal to teak, cedar and all bare wood. Easily applied with a brush or

Gives an attractive sheen on interior and exterior surfaces.

Sizes: 250ml, 500ml, 1L, 2.5L, 5L

Yacht Varnish



Specially formulated with tung oil to give maximum protection and durability to marine and other external woodwork. Available in gloss and satin. Has excellent adhesion and will not flake or peel when correctly applied.

Ideal for exterior doors and window frames.

Sizes: 250ml, 500ml, 1L, 2.5L, 5L

Satin not available in 5L

Quick Dry Shed & Fence Clear









Shed & Fence Clear is a high quality acrylic binder that includes waxes to give all external timber long lasting protection and excellent water retention. It is resistant to ultra violet light and fading.

Quick drying and water based, it will give up to 5 years protection on fences, sheds, trellis and all garden timber, new or previously treated.

Sizes: 1L. 5L

Quick Dry TimberLife









Protects and adds life to garden timber. For new or weathered sheds and fences. Highly water repellent and resistant to fading, it is also harmless to pets and plants. Available in 8 shades plus clear. Clean brushes in water.

Sizes: 1L, 5L

















Colours shown matched as near as printing processes will allow.

Decking

Quick Dry Decking Stain & Seal











Quick drying, water based stain which dries to a tough, waterresistant, matt finish. Clean brushes with water. Available in 3 colours.

Size: 2.5I







Quick Dry Textured Decking Oil









A water based, low odour, hard-wearing, water resistant oil that enhances the colour of the decking and contains agents to improve slip resistance on exterior timber and composite decking. Independently tested and rated as 'low slip potential' according to BS7976, Part 2, 2002 assessment of slip resistance. It contains UV light inhibitors that protect the oil from sunlight and can be applied whilst the decking is still damp. Use on composite, hardwood or softwood decking leaving a hard-wearing satin finish.

Size: 2.5L

Quick Dry Decking Oil







DECKING OIL

A water based, low odour, hardwearing, water resistant oil that enhances the colour of the decking. For use on bare or previously finished composite or wooden decking. It contains UV light inhibitors that protect the Decking Oil from sunlight and can be applied whilst the decking is still damp. Use on composite, hardwood or softwood decking, it will leave a hard-wearing satin finish.

Sizes: 2.5L, 5L







Advanced Wood Preserver Green





Ideal for end grain protection.

A water based, low odour, non-flammable product based on micro-emulsion nanotechnology that will protect the end grain of wood from rotting and decay. The ultra-fine particle size allows deep penetration of the protector to take place so the performance of the product is much greater than standard end grain protector products. Quick drying and can be applied to most timbers.

Size: 500ml

Composite Decking Cleaner



A blend of special cleaning agents to remove dirt, algae, mildew and grease from old and new exterior composite decking. Ready for use - no need to dilute.

Size: 4L

Decking Cleaner



The ULTIMATE product for cleaning and reviving weathered garden decking. It is ideal for removing dirt, grease and stains prior to treatment with Rustins Decking Stain & Seal or Rustins Decking Oil. Ready for use - no need to dilute.

Size: 4L



Cleaners

Sticky-Off



Sticky-Off is an adhesive remover ideal for tackling sticky gum, glue, labels, tape and adhesives from surfaces such as glass, plastic, metal, wood, worktops and clothes. Simply spray liberally onto the substance you want to remove, then allow the Sticky-Off to do the work.

Sizes: 60ml, 100ml

Drive & Patio Cleaner



Rustins Drive & Patio Cleaner is based on a blend of special cleaning agents to remove dirt, algae, mildew and grease. It is formulated to clean old and new driveways, pathways and any other exterior stonework.

Size: 2L

UPVC Cleaner



A special blend of ingredients to clean and restore all types of white UPVC that are weather stained, dirty and dull. Ingrained dirt is quickly removed and if the surface has lost its shine, Rustins UPVC Cleaner will restore the gloss. It is ideal for white UPVC windows, doors, fascias, cladding and plastic garden furniture.

Size: 500ml





Caustic Soda granules can be used for a variety of different jobs including unblocking drains, clearing pipe blockages, cleaning and sanitizing.

Size: 500g



Cleaners

Sugar Soap - Concentrate



Ideal for preparing surfaces for repainting and cutting through grease and dirt, leaving the surface chemically clean so that a fresh coat of paint adheres readily. Excellent for general household cleaning. It is suitable for use on paintwork, vinyl wallcoverings and enamel surfaces. Rustins Sugar Soap is concentrated and 500ml makes up to 13 litres of full strength solution.

Size: 500ml

Sugar Soap - Ready to use



Rustins Sugar Soap is ideal for preparing surfaces for repainting, cutting through grease and dirt, leaving the surface chemically clean so that a fresh coat of paint adheres readily. Rustins Sugar Soap is also excellent for general household cleaning. It is suitable for use on paintwork, vinyl wallcoverings and enamel surfaces.

Size: 500ml

Sugar Soap - Powder



Rustins Sugar Soap Powder is a noncaustic, non-hazardous cleaner used by professional and home decorators for preparing surfaces prior to painting. The formulated cleaner removes grease and grime, including nicotine stains and provides a surface to ensure a consistent paint finish.

Size: 450g

How to...

SUGAR SOAP POWDER

Rustins Sugar Soap Powder is a non-caustic, non-hazardous cleaner used by professional and home decorators for preparing surfaces prior to painting. The formulated cleaner removes grease and grime, including nicotine stains and provides a surface to ensure a consistent paint finish.

HARD SURFACE CLEANING

Rustins Sugar Soap Powder is ideal to use all around the home and workplace. Perfect for paintwork, vinyl floors, wash basins, baths, tiled walls and many other hard surfaces.

Important: Not suitable for textiles, fabrics or soft furnishings so ensure these are totally covered before working in the area.

Any spillages onto surfaces that are not being cleaned should be wiped up immediately as spotting may occur.

If in doubt about surface compatibility test an inconspicuous area first.

DIRECTIONS FOR USE:

The wearing of household rubber gloves is recommended when using this product. For preparing prior to decorating, dissolve 225 grams (½ bottle) of Rustins Sugar Soap Powder into 5 litres of warm water. Gently agitate to dissolve the powder.

Apply the sugar soap solution using a sponge or cloth working from top to bottom and then rinse off with clean water. Allow to drv.

For general cleaning add approximately 50 grams (4 tablespoons) to 2.5 litres of warm water. Apply with a sponge or cloth and rinse off with clean water.

In some specific applications this may not be required and the surface may just be wiped over with a dry cloth.





Floor Finishes

Quick Dry Floor Varnish







Rustins Quick Dry Floor Varnish is a hard wearing quick drying, water based, non-flammable varnish with a low odour. Resistant to water, alcohol, white spirit and similar solvents. Touch dry in 20 minutes and re-coatable in 2 hours. Floor Varnish can be applied to wood, cork, MDF, concrete and unsealed terracotta and quarry tiles. Clean brushes in water.

Clear available in gloss and satin finish.

Sizes: 1L, 2.5L, 5L

Colours available in 2.5L - Satin only.









Floor Oil



A mixture of natural vegetable oils and resins which improves the colour of bare wood. Wood tone will become richer when oil is applied. Allow 4-8 hours between coats, depending on temperature and humidity. Minimum of 3 coats recommended. Can be applied to all types of interior wooden floors, including parquet, woodblock and floorboards.

Sizes: 1L, 5L

Multi Purpose Floor Shine





Specially formulated for use on wood, laminate, cork, vinyl and lino flooring.

Low odour, easy application and quick drying. Leaves a brilliant shine without buffing.

Drying time 10-20 minutes. Leave for 24 hours before re-coating.

Wash equipment in water.

Size: 1L

Floor Finishes

Clear Plastic Floor Coating



A two-part cold cure lacquer with excellent adhesion and durability. Almost colourless and will not craze or yellow on ageing. Resistant to scratching, abrasion, most solvents, weak acids and alkalis. Can be applied to wood, cork, chipboard, MDF, laminates, slate and stone.

Re-coatable after $1-1\frac{1}{2}$ hours, floor can be used 2 hours after last coat has been applied. Available in gloss and satin finish.

Sizes: 1L pack and 4L pack

Polyurethane Floor Sealer



A heavy bodied, pale coloured, solvent based polyurethane which gives a tough and durable finish. Resistant to water, alcohol, white spirit and similar solvents. Drying time is 4-6 hours. Can be applied to wood, cork, MDF and old concrete floors. Can be applied to already coated flooring without sanding as long as the surface is clean and free from wax. Available in gloss and satin finish.

Sizes: 1L, 2.5L, 5L



How to...

QUICK DRY FLOOR VARNISH



Preparation: The floor must be clean, free from wax, grease and


dust. Remove all traces of wax polish with wire wool and white spirit. Use a clean rag to remove the mixture of white spirit and wax. It is advisable to repeat this process even if the floor is to be sanded as sanding forces wax further into the wood. Special care should be taken where there are large cracks in the flooring as these can become caked with old wax polish. Large cracks or holes can be filled with Rustins Wood Filler. New or old floors that have been sanded can be stained with Rustins Wood Dye before varnish; other brands of dye may not be compatible.

Application: STIR WELL BEFORE AND DURING USE. Do not dilute. Apply very liberally with minimum brushing using a large brush or roller, finishing off in the direction of the grain with light pressure. It will be touch-dry in approximately 20 minutes. A cold damp atmosphere or high humidity will slow the drying. A second coat can be applied after a minimum of 2 hours. Three liberal coats are usually sufficient but four are recommended on cork. When applied over existing finishes the adhesion will improve over a period of 24—48 hours. Floors can be walked on after 2 hours but should not be subject to heavy wear for 24 hours. Wipe off spillages immediately during first three days. If first or second application raises the grain, sand lightly before applying another coat.

It is essential that raised grain is protected by an adequate thickness of varnish. If film thickness is not sufficient to cover raised grain, water may be absorbed which will discolour the wood. Do not use less than recommended coverage. Do not pour varnish into an unlacquered metal container; use glass or polythene. Clean brushes immediately after use with water and clean hard brushes with Rustins Cellulose Thinners or Rustins Brush Restorer.



Speciality Paints









Blackboard Black is a quick drying, water based paint that provides a matt black non-reflective surface for blackboards and photographic work.

Create a chalkboard on almost any surface. Suitable for interior and exterior use.

Clean brushes in water.

Sizes: 100ml, 250ml, 500ml, 1L, 2.5L

Quick Dry Satin Black Paint







Quick drying, water based that produces a smooth satin finish on wood and metal. Suitable for interior and exterior use.

Clean brushes in water.

Sizes: 250ml, 500ml, 1L, 2.5L

Quick Dry Matt Black Paint







A quick drying, water based smooth matt black finish for wrought iron and wood. Suitable for interior and exterior use.

Clean brushes in water.

Sizes: 250ml, 500ml, 1L, 2.5L

Quick Dry Black Gloss Paint







Speciality Paints



Quick drying, water based hardwearing paint for interior and exterior use that is touch dry in approximately 30 minutes. Suitable for use on wood and metal. Conforms to the Toys (Safety) Regulations 1995, BS:EN71 Part 3.

Sizes: 250ml, 500ml, 1L

Quick Dry Heat Resistant Black Paint







Quick drying, water based, low VOC paint for use on metal and wood and on both exterior and interior surfaces. The maximum heat resistance is approximately 220°C. Clean brushes in water.

(NOT FOR USE ON WOOD BURNING STOVES)

Sizes: 250ml, 500ml

High Heat Paint



A fast-drying protective and decorative paint which is stable to temperatures of 600°C. It is suitable for use on ferrous metals such as wood burning stoves, barbeques, domestic and industrial stoves, furnace chimneys, grates and car exhausts.

Can be used on all types of surfaces, both indoors and out, leaving a stylish matt finish. Sizes: 250ml, 500ml, 400ml aerosol

Quick Dry Metal Paint







Quick drying, water based, low VOC paint for use on both bare and galvanised metal. It can be applied directly without the use of a primer and is suitable for interior and exterior use.

Available in Black, White, Green, Gold & Silver.

Black & White sizes: 250ml, 500ml, 1L Gold, Green & Silver sizes: 250ml, 500ml

Quick Dry Brick & Tile Paint







A quick drying, water based, high performance paint that bonds exceptionally well to brick and tile, producing a durable and weather resistant matt finish. Interior and exterior for a range of masonry applications such as walls, cement, stone, tiles and bricks.

Sizes: 250ml, 500ml, 1L, 2.5L, 5L

Quick Dry Step & Tile Paint







A quick drying, water based, high performance interior and exterior gloss paint for use on tiles, concrete and bricks.

Available in black and red.

Sizes: 250ml, 500ml, 1L, (2.5L Red only)

Quick Dry Textured Step & Tile Paint







This quick drying, water based paint contains textured agents to improve the slip resistance in wet and dry conditions on tiles, concrete and bricks. It is independently tested and rated as 'low slip potential' according to BS7976, Part 2, 2002 assesment of slip resistance.

Available in black & red.

Size: 500ml

Speciality Paints

Quick Dry Gold Paint





Radiator Enamel



A heat resistant, solvent based brilliant white enamel that stays white and does not yellow with heat.

Available in gloss and satin finishes. Not to be used on oil filled electric radiators.

Sizes: 250ml, 500ml

Quick Dry Radiator Enamel







Quick drying, water based, heat resistant, touch dry in 30 minutes, low odour paint. Also ideal for touching up fridges and white appliances. Available in gloss and satin finishes. Clean brushes in water. Not to be used on oil filled electric radiators.

Sizes: 250ml, 500ml, 1L

Quick Dry Brilliant White Gloss Paint









A brilliant white quick drying, water based hardwearing paint for interior & exterior use that is touch dry in approximately 30 minutes.

Suitable for use on wood and metal. Conforms to the Toys (Safety) Regulations 1995, BS:EN71 Part 3.

Sizes: 250ml, 500ml, 1L



Quick drying, water based that is suitable for interior & exterior use.

Touch dry in 2 hours.

May be applied to wood and metal and over painted surfaces.

Clean brushes in water.

Sizes: 100ml, 250ml, 500ml

Quick Dry Aluminium Paint







Quick drying, water based that is suitable for interior & exterior use.

Touch dry in 2 hours.

May be applied to wood and metal and over painted surfaces.

Clean brushes in water.

Sizes: 250ml, 500ml

Quick Dry White Satin Paint







Quick drying, water based hardwearing satin finish white paint for interior & exterior use that is touch dry in approximately 30 minutes. Suitable for use on wood and

Sizes: 250ml, 500ml, 1L

Quick Dry Anti-Condensation Paint







Ideal for kitchens and bathrooms. It is a quick drying, water based paint with a matt white finish for interior use. Containing mould inhibitors, it reduces condensation in areas commonly prone to heat and high

This paint has excellent stain covering properties that will not only prevent unsightly stains, it will cover them as well.

Sizes: 250ml, 500ml, 1L

Quick Dry Small Job Paint Gloss & Satin








Speciality Paints



Quick drying water based paint specifically produced for small painting projects. A 250ml tin covers 3.25 sq m. Conforms to the Toys (Safety) Regulations 1995, BS:EN71 Part 3, which makes it ideal to use on children's toys.

Size: 250ml





Gloss available in Black, Buckingham Green, Buttercup, Candy Pink, Chocolate, Delphinium, Magnolia, Oxford Blue, Poppy and White.

Satin available in Black, Buckingham Green, Buttercup, Chocolate, Oxford Blue, Poppy and White.

Quick Dry Small Job Primer & Undercoat









For use with Rustins Small Job Paint on small interior and exterior projects. Used as a primer, it is suitable for new and bare wood, MDF, plaster, brickwork and cement. Quick drying, water based that has high opacity and can be used as an undercoat on primed or painted surfaces.

Available in White & Grey. Clean brushes in water.

Size: 250ml

Quick Dry Matt Emulsion







Rustins Quick Dry Matt Emulsion Paint is a quick drying, water based high performance paint that dries to a smooth matt finish. For interior use on areas they have been exposed to wear and tear that need touching up. For interior use.

Available in two British Standard colours - Magnolia BS08B15 and White BS00E55 and Grey

Sizes: 250ml, 500ml





Quick Dry Chalky Finish Paint







Designed to revive and give your furniture a new lease of life.

Suitable for use on interior work, it is water based, contains wax and dries to a velvety flat matt finish. Very little preparation is required to receive the desired look as it can be painted over most previously coated items.

Get the shabby chic look by painting your furniture with multiple coats then distressing it by lightly sanding down small areas using fine sandpaper or Trollull 0000 Steel Wool.

Sizes: 250ml, 500ml

















Quick Dry ASAP Paint



Rustins All Surface All Purpose Paint is a quick drying, water based paint that dries to a satin finish. It resists flaking or peeling because of its flexible capabilities.

For interior and exterior use.

No primer needed for:

• Wood • Metal • Plastic • Galvanised Steel

• UPVC • Lead • Plaster • Tiles • Glass •

MDF • Melamine • Masonry.

Sizes: 250ml, 500ml, 1L

Black, White and Grey available in 50ml















Speciality Paints

G Shield Electro Smog Shielding Paint



A special water based paint that contains Natural Exfoliated Graphite to provide reliable shielding from high-frequency electromagnetic fields and low-frequency electrical fields. G-Shield is solvent free with low-emissions and has lasting corrosion resistance. Can be applied under all commonly used emulsion paints and clean organic plasters.

Sizes: 125ml, 500ml, 1L

High Gloss White Paint 15 Year Protection



A High Gloss White Paint with 15 year protection is a one component, high gloss, coating for metal, wood, aluminium, concrete and G.R.P. Formulated from premium quality moisture cured polyurethane with light fast pigments, It has exceptional stability against U.V. light with outstanding non-yellowing and non-chalking

Size: 1L

Quick Dry Galvanized Metal Primer







Quick drying, water based, low odour metal primer that is suitable for indoor and outdoor use. Containing anti-corrosion additives it is ideal for use on bare and galvanized metal and is touch dry in 30 minutes and re-coatable in 2 hours.

Clean brushes in water. Sizes: 250ml. 500ml. 1L

Aluminium Wood Primer



Similar in composition to white wood primers but contains aluminium pigment which provides better water resistance.

Sizes: 250ml, 500ml

Quick Dry Red Oxide







A quick drying, water based, low odour high performance paint containing anti-corrosive additives for use on both bare and galvanised metal

For interior and exterior

Sizes: 250ml, 500ml, 1L, 2.5L, 5L

Quick Dry Anti-corrosion Metal Primer







Protects metal surfaces from rusting. It can be used on old or new metal and may be painted straight onto rust after wire brushing. It binds to the surface making it ideal for vertical surfaces and reacts with any rust that it comes into contact with. This will neutralize the rust and prevent any further corrosion. Can be left as a matt finish or over painted.

Available in Grey and Red.

Sizes: 1L, 2.5L

Quick Dry Primer & Undercoat







For interior and exterior use. As a primer, it is suitable for new and bare wood, MDF, plaster, brickwork and cement. Quick drying and water based, it has high opacity and can be used as an undercoat on primed or painted surfaces. It may be overcoated with water or solvent based finishing paints. Clean brushes in water. Available in White & Grey.

Sizes: 250ml, 500ml, 1L, 2.5L

One Coat Damp Seal



A fast drying high performance interior paint which permanently covers damp, water stains and most household stains.

It dries with a long lasting permanent seal over damp walls and ceilings and can be over coated with gloss or emulsion paint as well as wallpaper. It is specially formulated to allow trapped moisture to escape over time so preventing flaking of the paint or peeling of wallpaper. It is not suitable for use outdoors.

Sizes: 250ml, 500ml, 1L

White Primer

Speciality Paints



An oil based primer, recommended for use when white or light pastel shades of finish are being applied.

Sizes: 250ml, 500ml

Undercoat



High quality oil based undercoat, suitable for all interior and exterior woodwork. Should be used over our white primer.

Available in White & Dark Grey.

Sizes: 250ml, 500ml

Quick Dry MDF Sealer







A quick drying, water based, clear sealer that allows the application of both paints and varnishes, unlike white MDF sealers which can only be painted. Touch dry in 30 minutes and can be re-coated in 2 hours.

Clean brushes in water.

Sizes: 250ml, 500ml, 1L, 2.5L

Quick Dry MDF Primer







Rustins Quick Drying MDF Primer is a water based primer for use on indoor and outdoor work. Used as a primer, it is suitable for new and bare MDF. It has high opacity and can also be used as an undercoat on primed or painted surfaces. This primer may be over-coated with water or solvent based finishing paints.

Available in White & Grey.

Sizes: 250ml, 500ml

Quick Dry Stain Blocker & Multi-Surface Primer







Quick drying, water based matt white stain blocker for interior and exterior use, with excellent adhesion to wood, plaster and previously painted surfaces. It will seal all stains that may bleed through and discolour paint.

As a primer, it provides excellent adhesion to ceramic tiles, glass, and melamine.

When dry, it can be painted with any type of paint and undercoat. It can be applied over asphalt, bitumen, crayon, creosote, graffiti, nicotine, rust, soot, tannin and water stains.

Sizes: 250ml, 500ml, 1L

Quick Dry Masonry Paint







Quick drying, water based high performance paint that dries to a smooth matt finish. For interior and exterior use on masonry applications such as walls, cement, stone, tiles and bricks.

Sizes: 250ml, 500ml,









Quick Dry Stabilising Solution








A highly penetrative quick drying, water based stabiliser for binding and sealing powdery surfaces, lime wash and distemper prior to decoration.

For interior and exterior use.

Size: 500ml.



Wood Preparation

Strypit Paint & Varnish Stripper



Strypit is a non-caustic dichloromethane-free gel suitable for removing multiple coats of paints and varnishes applied to wood, metal, glass, stone and masonry surfaces. Strypit works best when applied liberally and allowed to penetrate after two applications. The gel consistency permits effective use on vertical surfaces.

Sizes: 250ml, 500ml, 1L, 2.5L, 5L 500ml aerosol

Professional Wood Filler



This two-part filler provides a strong long lasting repair for all interior and exterior wood work. It hardens within 30 minutes at ambient temperature and produces a tack free surface. Easy to sand and readily accepts Rustins Wood Dyes as well as Rustins paints and varnishes. Once fully hardened, it can be sanded, drilled, machined and planed. It is also suitable for metal, concrete and fibreglass.

Available in White and Natural.

Extra 20g tubes of hardener also available.

Sizes: 250g, 500g, 1000g



Styrene Free Professional Wood Filler



A two component styrene free multi purpose filler for the decorator that fills wood, metal, concrete. Once fully hardened, it can be sanded, drilled, machined and planed.

Available in White and Natural.

Sizes: 500g, 1000g

Wood Preparation

Wood Dye



For use on bare wood prior to finishing with any of Rustins' wood finishes. Quick drying penetrating stain, does not raise the grain. Supplied in 11 shades, which may be intermixed to make an infinite variety of natural wood shades.

Suitable for interior and exterior use.

Quick Dry White and Grey Wood Dye is water based and touch dry in 20 minutes. It can be over-coated after 2 hours with any of the Rustins range of finishes.

Sizes: 250ml, 1L, 2.5L



Colours shown, matched as near as printing processes will allow.

Wood Bleach



Removes weather stains and discolourations. Makes bare wood white or lighter in colour. Use to bleach natural timber to a lighter shade so it can then be stained to another wood shade, using Rustins Wood Dyes.

Sizes: Set A & B solution 500ml

Woodworm Killer



A low odour, deep penetrating, treatment which treats and eradicates preventing reinfestation. It gives long lasting protection and is suitable for interior use.

Sizes: 250ml, 500ml

Plastic Wood



A quick drying filler available in Natural, Oak and Teak.

It is waterproof and suitable for interior and exterior applications and is excellent for use on edges

When dry it will take screws and nails.

Sizes: Tubes in Natural, Oak and Teak

Quick Dry Wood Filler



A fast drying, ready to use flexible filler that is easy to sand, stain and paint. Excellent for filling holes or cracks in softwood, hardwood, MDF & plasterboard, as it does not shrink on drying.

Suitable for interior and exterior use.

Available in White, Mahogany, Natural, Oak and Teak.

Size: 250ml

Grain Filler



Apply to wood before finishing to fill the pores, preventing "sinking" of the finish. Available in Mahogany, Natural, Oak and Teak. The natural shade can be thinned with Rustins Wood Dye so that filling and staining can be carried out in one operation.

Size: 230gm

Wood Hardener



A solvent based solution designed to penetrate deeply and harden rotten or decayed wood. Once fully dried, it strengthens and reinforces the deteriorated wood to support the use of wood filler and provide a seal against further moisture penetration. Suitable for interior and exterior use

Sizes: 250ml, 500ml



Application

Lint Free Cloths



Ideal for use applying Rustins' products such as Danish Oil, Teak & Furniture Oil, Wax, Wood Dye & French Polish.

Size: 3 in a pack-300mm x 300mm

Poly Foam Brushes



The Jen Mfg Poly-Brush® is an alternative to bristle brushes and is ideal for paint, wood dyes, oils and varnish. Quick and easy to use and clean. They leave no brush marks, and are suitable for both water and oil based products.

(Not suitable for use with shellac or lacquer).

Size: 1", 2", 3" & 4" single brushes. 4 in a pack containing 1", 2", 3" & 4"brushes

Application Kit



Whether you are touching up a bit of paint work or oiling your kitchen worktop, Rustins Application Kit contains all the bits you need for those smaller projects around the home.

Kit contains: 2 x Poly Foam Brushes, 2 x Lint Free Cloth & 6 x Latex Gloves.

(Poly Foam Brushes are not for use with shellac or lacquer).

Latex Gloves



Ideal protection for painting, varnishing and any other DIY or household job around the home.

Size: 20 in a pack

Prep Cloths



Prep Cloths are cleverly designed to easily pick up and hold dust, dirt and fibres leaving a clean surface prior to painting and varnishing, making decorating preparation easier. These resin impregnated cloths are ideal for use prior to final coating as one light wipe will remove all particles that are left on the surface leaving it smooth for a first class finish with no sticky residue. They can be used time and time again; just fold the Prep Cloth and pop it into the bag it came from to use next time you want a professional finish.

Size: 3 in a pack















Decorating Products

Methylated Spirits



Used for thinning french polishes and shellac varnishes, for use in spirit burning heaters, stoves and for lighting barbecues. Cleans mirrors, glass and jewellery.

Sizes: 250ml, 500ml, 5L

Pure Turpentine



Used for mixing artists' oil colours. Ideal for dissolving beeswax to make a wax polish.

Sizes: 300ml, 500ml, 4L

Cellulose Thinners



A special blend of pure solvents that will mix with any make of cellulose lacquer. It does not contain any xylol, toluene or any other petroleum derivative and is not classified as a petroleum mixture.

Sizes: 125ml, 300ml, 500ml, 1L, 5L

Boiled Linseed Oil



Boiled Linseed Oil is used for finishing most bare timber and suitable for replacing the natural sheen that wood can lose after long periods drying in the sun. Boiled Linseed Oil contains special additives which speed the drying process.

Will also waterproof ground sheets and tarpaulins.

Sizes: 125ml, 300ml, 500ml, 2L, 4L

Raw Linseed Oil



A natural nourishing treatment for wood, including cricket bats, and as a lubricant for french polishing.

Also used for softening putty that has become stiff.

Sizes: 125ml, 300ml, 500ml, 2L, 4L

Knotting & White Knotting



For sealing knots and resinous and creosoted timber to prevent bleeding through paint film. Sandpaper surface smooth before applying liberally over knots and surrounding area. Do not sandpaper knotting once applied. Resinous and creosoted timber should be sealed completely with 2 coats. Allow 1 hour to dry before priming. Clean brushes with methylated spirits. Knotting should not be used under polyurethane clear varnishes or water-based varnishes and paints.

Knotting Sizes: 125ml, 300ml, 500ml, 1L White Knotting Sizes: 125ml, 300ml, 1L

Decorating Products

Paint Driers (Terebene)



A special blend of chemicals to speed the drying of oil and alkyd based paints and varnishes. Particularly recommended for adding to old paint and varnish that has been kept for a long time, and has become slow drying. Add a capful of driers to ½ litre of paint or varnish and stir well.

Size: 300ml

Sugar Soap



Ideal for preparing surfaces for repainting and cutting through grease and dirt, leaving the surface chemically clean so that a fresh coat of paint adheres readily. Excellent for general household cleaning. It is suitable for use on paintwork, vinyl wallcoverings and enamel surfaces. Rustins Sugar Soap is concentrated and 500ml makes up to 13 litres of full strendth solution.

Size: 500ml

Sugar Soap also available as a powder and a ready to use bottle. See page 15.

UPVC Cleaner



A special blend of ingredients to clean and restore all types of white UPVC that are weather stained, dirty and dull. Ingrained dirt is quickly removed and if the surface has lost its shine, Rustins UPVC Cleaner will restore the gloss. It is ideal for white UPVC windows, doors, fascias, cladding and plastic garden furniture.

Size: 500ml

Xylene Thinners




Can be used to thin most oil-based paints. Ideal for use with Rustins Damp Seal and High Heat Paint. Rustins Xylene Thinners can also be used to clean brushes and any other equipment that has been used with oil based paints.


Sugar

Size: 500ml

How to...

SUGAR SOAP





DIRECTIONS FOR USE

Preparation: Shake bottle well before use. Wear suitable protective gloves. Protect floor coverings and fabrics from spillage.

Application:

- Cleaning and preparing for repainting: Add 170ml of Rustins Sugar Soap to 4½ litres of warm water in a large bucket and stir. Soak a sponge or cloth in the solution and clean surface well. Sand down any uneven spots. Rinse with fresh clean water and allow to dry thoroughly. Mop up any spillages immediately with a damp cloth.
- For use as a general household cleaner: Add 50ml of Rustins Sugar Soap to 4½ litres of warm water in a large bucket and stir. Soak a sponge or cloth in the solution and clean the surface well. Rinse with fresh clean water and allow to dry thoroughly. Mop up any spillages immediately with a damp cloth.

Sugar Soap also available as a powder and a ready to use bottle. See page 15.



Renovators - for wood

Surface Cleaner



Is a blend of powerful solvents, which will remove accumulated wax and dirt from furniture without harming the original finish. It should be applied with a soft cloth, or, if the wood is very dirty, with 000 steel wool. Wipe off the solution of dirt formed whilst still damp, with a clean rag or paper kitchen towels.

Sizes: 125ml, 300ml

Liquid Wax



Is a non-flammable and non-toxic wax emulsion containing pure beeswax and carnauba wax. It can be used with complete safety on all new and old furniture after cleaning off old previously applied wax with the surface cleaner. It is not suitable for use on bare wood.

Sizes: 125ml, 300ml

Finish Reviver



If the original finish has lost its lustre or has fine surface scratches, the Finish Reviver will restore the gloss and remove minor surface defects. Water marks and heat marks can also be removed unless they have penetrated right through the finish to the wood. If this has happened, the only remedy is to remove the old finish completely with Rustins Strypit Paint & Varnish Stripper and refinish.

Sizes: 125ml, 300ml

Renovators - for wood

Scratch Cover



Available in Light, Medium & Dark, Scratch Cover will mask unsightly surface scratches on wooden furniture.

Sizes: 125ml, 300ml



Ring Remover



Ring Remover is a mixture of fine abrasives which can be used to remove old and new water and heat mark damage from a range of polished surfaces. It not only removes the marks and minor defects, but also polishes and revives the furniture back to its original beauty.

Size: 125ml

Solid Wood Worktop Maintenance Kit

A maintenance kit that includes everything you need for the finishing and preservation of solid wood worktops.

The kit includes:

- 1 x 1 litre Danish Oil
- 1 x 125ml Surface Cleaner
- 2 x Lint Free Cloths
- 3 x Foam brushes
- 2 x De-nibbing pads
- 1 x Pair of Nitrile Gloves



Renovators - for metal

Metal Lacquer



Rust Remover



Removes surface rust from mild steel and iron products. Ideal for use on garden gates, bicycles, cars and all metal objects around the home.

Size: 125ml

Brass Restorer



Ideal for removing tarnish from exterior brass door furniture and restoring it to its original colour. Apply Rustins Brass Restorer with a brush or by dipping

Also may be used for cleaning copper and bronze.

Size: 125ml

Metal Shine



Metal Shine cleans and shines most metals. Apply with a soft cloth, rubbing evenly over the whole surface. Polish off with a clean stockinette, soft cloth or a yellow duster. Ideal for cleaning brass & chrome.

Size: 125ml

Rustina, metal lacquer

A clear UV resistant lacquer that leaves a film that does not yellow or craze on ageing. Has excellent adhesion on chrome, brass, copper and silver. No more cleaning.

Size: 125ml

Cellulose Thinners



Required to clean metal surfaces before application of Rustins Metal Lacquer and to clean brushes after use.

Sizes: 125ml 300ml, 500ml, 1L, 5L

Jade Oil



Jade Oil is a protective oil to displace humidity/moisture and reduce tarnishing from metal surfaces. It will minimise tarnishing by depositing a thin protective oil film over the metal item you apply it to. For interior use on metal.

Size: 500ml

Rust Converter



A water based treatment which neutralises rust. It stabilises the surface and forms a protective coating once dry. It seals and primes so no primer is required allowing to topcoat directly. It will form a barrier against water vapour, oxygen and carbon dioxide. Resistant to salt spray and bacterial growth.

Size: 250ml